





A. Center console integrates four cup holders and holding tray for easy access to your personal items



B. Power steering and a comfort-grip steering wheel deliver feather-smooth performance



C. Improved LED display cluster with hour meter, RPMs, and tell-tale lights



OTHERS FEAR TO VENTURE WHERE THE INDESTRUCTABLE ROXOR GOES.

Mahindra engineers build the world's most indestructible side-by-side. While others use inferior plastic, we forge steel-body ROXOR vehicles built for a brawl. No other UTV can endure the abuse or environments we put its fortified frame and body through. And when you factor in a 55-hp Turbo Diesel engine and a 3/4-ton industry-leading payload, you have a warrior ready to conquer any situation. **WE DARE YOU TO COMPARE.**

D. Tier 4, 55-hp turbo diesel engine with 5-speed manual transmission and 2-speed 4x4 transfer case.
No DPF. No Regen. No DEF. No wasted time or warranty hours.

E. Our strong suspension increases payload to 3/4 ton without sacrificing ride comfort and handling.







HARSH WEATHER IS A BREEZE FOR ROXOR. BUT FOR YOU, WE ADDED A COZY CAB.

Our cabs are equipped with AC and heat, allowing you to stay cozy all day. For added comfort, we included 1) a glass windshield with synchronized wipers, 2) defrost, 3) shrouded side mirrors, 4) a new center console with four cup holders and holding tray, 5) a new comfort-grip steering wheel, 6) a passenger-side comfort-grip grab bar, 7) halogen headlights, and 8) low-profile LED taillights to **TAKE ON EVERY ENVIRONMENT.**





- H. Stow your valuables using lockable driver and passenger underseat storage.
- I. Our heavy-duty pintle and 2-inch ball hitch combo is ideal for offroad towing jobs.



	BASE	ALL-WEATHER
	DIMENSIONS & CAPACITIES	
Wheelbase	96 in / 2	244 cm
Base Curb Weight ¹	3002 lb / 1362 kg	3224 lb/ 1465 kg
Length	144 in / 366 cm	
Width (No Mirrors)	60.7 in / 154 cm	
Width (w/ Side Mirrors Closed)	NA	64 in / 163 cm
Height	75 in / 191 cm	77 in / 196 cm
Ground Clearance	9 in / 22	2.86 cm
Fuel Capacity	16 gal / 60.5 L	
Payload Capacity ²	1525 lb / 692 kg	1303 lb / 591 kg
GVWR	4600 lb /	2087 kg
Towing Capacity	3500 lb / 1588	kg @ 15 mph
Seating Capacity	. /	2

ENGINE			
Туре	Four-stroke, Turbocharged, Direct-Injection, Water Cooled Diesel Engine		
Number Of Cylinders	4		
Displacement	2730cc (2.7 L / 165 cubic in)		
Bore & Stroke	88.9 x 110.0 mm		
Engine	55 hp @ 2300 RPM (Max 2700 RPM)		
Torque	144 ft lb @ 1400 RPM		
Compression Ratio	18.7:1		
Cooling System	Liquid		
Fuel System	Mahindra Common Rail Diesel (mCRD)		

DRIVETRAIN		
Transmission	5-speed manual	
Transfer Case	2-speed manual with 2.41:1 Lo Range	
Driveline	2WD / 4WD	
Front Axle	Full Floating w/ 5.38:1 Gear Ratio	
Rear Axle	Semi Floating w/ 5.38:1 Gear Ratio	

AND THE RESERVE OF THE PARTY OF				
	CHASSIS & SUSPENSION			
Chassis Type	Boxed St	eel Frame		
Front Suspension		HD Leaf Spring w/ Shock Absorbers & Stabilizer Bar		
Rear Suspension	HD Leaf Spring w	HD Leaf Spring w / Shock Absorbers		
Tires	235 / 70R16	235 / 70R16 All-Terrain		
Wheels	16 x 7-in Painted Steel	16 x 7-in Polished & Painted Aluminum		







	BASE	ALL-WEATHER	
	SAFETY		
Protection	Roll-Over Protection	on System (ROPS)	
Seat Belts	(2) 3-point		
Brakes	Hydraulic Power		
Parking Brake	Mechanical		
Front Brakes	11 in Disc / 27.94 cm		
Rear Brakes	11 in Drum	/ 27.94 cm	

PERFORMANCE	
Max Speed	52 mph / 84 kmph
Max Towing Speed	15 mph / 24 kmph
Max Flat Towing Speed ³	55 mph / 88 kmph

	3	CONVENIENCES		
Steering	NEW!	Comfort-grip with hydraulic-assist		
Storage		(2) lockable underseat boxes		
Interior Floor		ROXLINER™		
Cargo Bed		ROXLINER™		
Console	NEW!	4 cup holders and storage tray		
Cab Enclosure		NA	Composite	
Climate Control (Hea	t & AC)	NA	Standard	
Windshield	NEW!	NA	Laminated Glass	
Dual Wipers	NEW!	NA	Synchronized, 2-speed	
Hitch	NEW!	NA	2-inch ball & pintle combo	
Bumper		Painted Steel	Powdered-coated HD	

ELECTRICAL		
Battery	No-maintenance, 12-volt AGM	
Alternator	90A 110A	
Power Outlet	12-	volt
Instrumentation NEW!	LED digital display cluster	
Headlights	Halogen	
Taillights	Low-Profile LED	
Lightbar	NA 40-in LED KC HiLiTES®	

OTHER INFO		
Final Assembly	USA	
Warranty ⁴	2-Year Limited Warranty	

- Base curb weight as configured from factory with diesel fuel and fluids.
 No dealer accessories included.
- Varies based on accessories and configuration.
 Flat towing only with aftermarket locking hub kit.
 See Operator's Guide for complete details.



9020 Jackrabbit Road Houston TX 77095 (877) 449-7771 ROXOROFFROAD.COM Mahindra USA, Inc. reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were made to verify the information contained in it. Some items shown may be optional and some machinery shown may not be available at all dealers. Mahindra disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety, and product information, consult your local Mahindra dealer and the product operation manual. Engine power (hp/kw) and other specifications are based on various standards and best practices. This brochure is intended for the United States and its territories only. For more information visit our website.

09/09/2025

